

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and \$3mail and (roam\$5 handoff hand-off handover hand-over) and ((subscription regist\$5 subscriber profile) adj server)	US-PGPUB; USPAT	OR	ON	2007/01/04 17:38
L2	1	"6535493".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 17:38
L3	47	("6535493").URPN.	USPAT	OR	ON	2007/01/04 17:38
L4	0	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and \$3mail and (roam\$5 handoff hand-off handover hand-over) and ((subscription regist\$5 subscriber profile) adj server) and l3	US-PGPUB; USPAT	OR	ON	2007/01/04 17:40
L5	0	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and \$3mail and (roam\$5 handoff hand-off handover hand-over) and ((subscription regist\$5 subscriber profile) near3 server) and l3	US-PGPUB; USPAT	OR	ON	2007/01/04 17:40
L6	1	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and l3	US-PGPUB; USPAT	OR	ON	2007/01/04 17:58

EAST Search History

L7	30	("20020102999" "5325362" "5353412" "5537679" "5561840" "5570366" "5572528" "5590126" "5754547" "5825759" "5845079" "5862345" "5926101" "5930248" "5949760" "6002931" "6018573" "6041358" "6061650" "6076109" "6243758" "6477150" "6522880" "6535493" "6549522" "6567664" "6578085" "6600743" "6621810" "6625135").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/04 17:57
L8	1	l7 and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5))	US-PGPUB; USPAT	OR	ON	2007/01/04 18:00
S1	95	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and \$3mail and (roam\$5 handoff hand-off handover hand-over)	US-PGPUB; USPAT	OR	ON	2007/01/04 17:28
S2	51	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and \$3mail and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3))	US-PGPUB; USPAT	OR	ON	2007/01/04 10:31

EAST Search History

S3	5	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and \$3mail and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3)) and (base adj station)	US-PGPUB; USPAT	OR	ON	2007/01/04 10:37
S4	17	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3)) and (base adj station) and "455". clas.	US-PGPUB; USPAT	OR	ON	2007/01/04 10:41
S5	2	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3)) and (base adj station) and "455". clas. and lan and \$3mail	US-PGPUB; USPAT	OR	ON	2007/01/04 10:40
S6	1	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and (base adj station) and "455".clas. not S4	US-PGPUB; USPAT	OR	ON	2007/01/04 10:44

EAST Search History

S7	18	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and (base adj station) not S4	US-PGPUB; USPAT	OR	ON	2007/01/04 13:37
S8	17	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3)) and (base adj station) and "455". clas.	US-PGPUB; USPAT	OR	ON	2007/01/04 13:37
S9	18	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam\$5 handoff hand-off handover hand-over) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and (base adj station) not S8	US-PGPUB; USPAT	OR	ON	2007/01/04 13:37
S10	5	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam\$5 handoff hand-off handover hand-over seamless) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and (base adj station) not (S8 S9)	US-PGPUB; USPAT	OR	ON	2007/01/04 13:52

EAST Search History

S11	16	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and (base adj station) not (S8 S9 S10)	US-PGPUB; USPAT	OR	ON	2007/01/04 15:14
S12	43	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and bluetooth	US-PGPUB; USPAT	OR	ON	2007/01/04 17:46
S13	0	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((((rf base) adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and bluetooth not S12	US-PGPUB; USPAT	OR	ON	2007/01/04 14:49
S14	0	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((((rf base) adj (node station)) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5)) and bluetooth not S12	US-PGPUB; USPAT	OR	ON	2007/01/04 14:59
S15	1	d430934.pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:05
S16	1	"6487406".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:09
S17	1	"6771609".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:09

EAST Search History

S18	9	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base adj station) (mobil\$3 adj switch) bs\$3 msc\$3 cscf\$2 vlr local ap routing binding location) near9 (persistent cache)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5 already)) and (base adj station) not (S8 S9 S10 S11)	US-PGPUB; USPAT	OR	ON	2007/01/04 15:30
S19	8	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base rf wireless) adj (station router switch)) bs\$3) near9 (LAN)) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5 already))	US-PGPUB; USPAT	OR	ON	2007/01/04 15:36
S20	22	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base rf wireless mobil\$4 pda device) adj2 (ap station router switch)) bs\$3) near9 (LAN ((local home office) adj2 network))) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5 already)) not S19	US-PGPUB; USPAT	OR	ON	2007/01/04 15:43
S21	14	(@ad<"20000627" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (((base rf wireless mobil\$4 pda device) adj2 (ap station router switch hub)) bs\$3) near9 (LAN ((local home office) adj2 network))) and (cache near9 (hit look\$5 search\$5 check\$5 exist\$5 found\$3 find\$3 availab\$5 already)) not (S19 S20)	US-PGPUB; USPAT	OR	ON	2007/01/04 15:45
S22	1	"6414962".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:54